

<https://doi.org/10.48047/AFJBS.6.12.2024.1441-1449>



African Journal of Biological Sciences

Journal homepage: <http://www.afjbs.com>



Research Paper

Open Access

In Silico Identification of Potential Amino Acids for Enamel Remineralization

Manobharathi G¹, Sandhya Raghu², Ajay Guru³, RajalakshmananEswaramoorthy⁴

¹ Post graduate student, Department of Conservative Dentistry and Endodontics, Saveetha Dental college and Hospitals, Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai-600077

² Professor, Department of Conservative Dentistry and Endodontics, Saveetha Dental college and Hospitals, Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai-600077

³ Assistant Professor, Department of Conservative Dentistry and Endodontics, Saveetha Dental college and Hospitals, Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai-600077

⁴ Professor, Department of Biochemistry, Center of Molecular Medicine and Diagnostics (COMManD), Saveetha Dental College and Hospital, Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai - 600077

Corresponding author: Sandhya Raghu Professor, Department of Conservative Dentistry and Endodontics, Saveetha Dental college and Hospitals, Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai-600077

Article History

Volume 6 Issue 12, July 2024

Received: 25 May 2024

Accepted : 25 June 2024

doi:

[10.48047/AFJBS.6.12.2024.1441-1449](https://doi.org/10.48047/AFJBS.6.12.2024.1441-1449)

ABSTRACT:

Various amino acids play a role in formation of continuous organic framework, hydroxyapatite crystal formation, mineral nucleation, orientation of mineral crystallites. Self-assembling peptides have shown to diffuse into the porosities in the enamel, attract calcium and allow its saturation.

Aim: Aim of this study was to design peptides and identify potential amino acids for enamel remineralization.

Methodology: Glutamine, Aspartic acid, Phosphorylated Serine were the amino acids identified for the analysis. The influence of the positions of these amino acids at the N terminal and C terminal were assessed. 6 peptides were designed for computational analysis. Designing of peptide and receptor of amelogenin was done using Chemdraw Ultra Ver, Binding affinity was analysed in HPEPDOCK tool. Toxicity was analysed using ToxinPred and Peptide Ranker Analysis. Peptide P11-4 was the positive control.

Results: Positive control of P114 showed the highest binding affinity score of -419.327 Kcal/mol when compared with other peptides. Peptide 3 (-294.701 Kcal/mol), 4 (-294.668 Kcal/mol), and 6 (-293.411 Kcal/mol) showed the least binding affinity score. But a nearly equivalent binding affinity score compared to P114 peptide was obtained in the Peptide 1 (-327.112 Kcal/mol), 2 (-310.596 Kcal/mol) and 5 (-328.708 Kcal/mol). All the peptides showed non-toxic condition, while the peptide 2 (0.251) and peptide 5 (0.244) showed better bioavailability.

Conclusion: Newly designed peptides were stable. Binding affinity was comparable to P 11-4. The designed peptides were non-toxic. Aspartic acid had

binding affinity closer to P 11-4 and biocompatibility more than P 11-4.
Keywords: Demineralization, calcium phosphate, Amino Acids, Enamel, affinity

INTRODUCTION

Demineralization is a slow process that causes the hydroxyapatite crystals in enamel to dissolve gradually, causing tooth tissue to gradually disappear^[1]. Dental enamel is an avascular, hard, and acellular tissue that is made up of 1% organic material, 3% water, and 96% inorganic material (hydroxyapatite nanocrystals)^[2]. Ameloblasts create the enamel protein matrix, which is subsequently mineralized by crystals of calcium phosphate^[3]. Recently, the use of self assembling peptides has been introduced as a strategy for enamel remineralisation^[4]. Amino acids are the building blocks of peptides. The location of amino acid side chains which have a terminal –COOH or –NH₂, can be designed in a way so as to control the interaction between adjacent peptides. P11-4, a self-assembling peptide molecule, has been thoroughly investigated. It is a synthetic peptide with a final design consisting of 11 amino acids that assembles into B-sheet tapes, ribbons, fibrils, and fibers using a hierarchical self-assembly process^[5]. Several agents that enter an initial lesion as liquid resin (ICON caries inltrant) or encourage remineralisation by releasing calcium and phosphate have been launched in recent years (e.g, casein phosphopeptide- amorphous calcium phosphate, CPP-ACP complex). Furthermore, nanohydroxyl apatite-based products (such as BioRepair) have been proposed for "repairing" enamel . These agents, on the other hand, were unable to produce matrix-mediated mineralization in the same way as the natural process does. To combat this, the self-assembling peptide (SAP) P11-4 was developed to rebuild enamel by matrix mediated mineralization^[6]. Various remineralizing agents are available for non-invasive management of these incipient lesions^[7].

Numerous biological processes, including signal transmission, immune responses, and cellular control, depend on peptide–protein interactions. It has been discovered that small peptides mediate around 40% of protein–protein interactions. Therefore, in order to comprehend the molecular mechanism and subsequently modify the protein-protein interactions for therapeutic purposes, it is imperative to determine the structure of the protein-peptide complexes participating in these interactions^[8]. However, because experimental methods are expensive and technically complex, only a small number of protein-peptide complex structures have been determined, in comparison to the enormous number of protein-peptide interactions that have been found. Thus the determination of protein–peptide complex structures has been greatly aided by computational modeling techniques such as molecular docking^{[9][10]}. Protein-peptide docking takes a protein structure and a peptide sequence as inputs, samples potential peptide binding conformations, and ranks the potential protein-peptide complexes using an energy scoring function to predict the complex structure^[5].

There are two difficulties with protein-peptide docking as opposed to protein-ligand and protein-protein docking. First, unlike protein–ligand docking in which the binding site is normally known, the information of the binding site for peptide is not available in many cases. As a result, a comprehensive search for potential binding modes throughout the entire protein is frequently necessary for protein-peptide docking^{[11][12]}. Second, peptides lack a stable conformation prior to binding to a receptor and are far more flexible than small molecules and proteins. In protein–peptide docking, sampling all of the peptide conformations is

computationally costly. In recent years, numerous cutting-edge algorithms for protein-peptide docking have been developed to address these issues. To efficiently consider the peptide flexibility in peptide docking, a hierarchical algorithm for blind and flexible peptide docking by fast modeling of peptide conformations and sequent global sampling of binding orientations, which is referred to as HPEPDOCK is used. In this docking algorithm, the peptide flexibility is considered by generating an ensemble of peptide conformations with various program. Peptideranker and ToxinPred are the servers used to predict BioActive peptides and toxicity of peptides. The aim of this study was to design peptides and identify potential amino acids for enamel remineralization by In Silico analysis.

MATERIALS AND METHODS

Glutamine, Aspartic acid, Phosphorylated Serine were the amino acids identified for the analysis. The influence of the positions of these amino acids at the N terminal and C terminal were assessed. 6 peptides were designed for computational analysis. Designing of peptide and receptor of amelogenin was done using Chemdraw Ultra Ver. Binding affinity was analysed in HPEPDOCK tool. Toxicity was analysed using ToxinPred and Peptide Ranker Analysis. Peptide P11-4 was the positive control.

P11-4 Positive Control

Ac-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH₂

6 New Peptides

Peptide 1 - Ace-Gln-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH₂

Peptide 2 - Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH₂

Peptide 3 - Ace-Gln-Gln-Aspartic acid-Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH₂

Peptide 4 - Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu-Aspartic acid - Gln-Gln-NH₂

Peptide 5

Ace-Gln-Gln-Phosphorylated serine-Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH₂

Peptide 6

Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu- Phosphorylated serine-Gln-Gln-NH₂

In silico studies

HPEPDOCK

HPEPDOCK (<http://huanglab.phys.hust.edu.cn/hpepdock/>) is a server that uses a hierarchical algorithm to investigate protein-peptide docking. The results obtained from the protein-ligand binding affinity are expressed in kcal/mol units of free energy. In the discovery studio software, the interaction between the peptide and the receptor was visualized.

Peptide rank and toxicity prediction

PeptideRanker (<http://distilldeep.ucd.ie/PeptideRanker/>) is a server that uses a novel N-to-1 neural network to predict bioactive peptides. The Peptide Ranker predicts whether a peptide sequence is likely to be bioactive by giving scores ranging from 0 to 1. A peptide score of more than 0.75 indicates that a sequence has the potential to be bioactive.

ToxinPred was used to calculate the toxicity of predicted T-cell epitopes (<http://crdd.osdd.net/raghava/toxinpred/>). ToxinPred is a computer programme that predicts which peptides are toxic or non-toxic.

RESULTS

These newly developed 6 peptides were investigated for the docking studies using <http://huanglab.phys.hust.edu.cn/hpepdock/> and before docking analysis the peptide structure was developed using Chemdraw Ultra Ver 12.0. The receptor of amelogenin was structured. Both the peptide structure and receptor of amelogenin in PDB format was used for the analysis in HPEPDOCK tool.

P 11- 4 was the positive control (Figure 1). Peptide 1 to Peptide 6 were designed using Chemdraw Ultra Ver (Figure 2-7)

Figure 1: P11- 4 structure




Figure 2: Peptide 1 structure




Figure 3: Peptide 2 structure




Figure 4: Peptide 3 structure




Figure 5: Peptide 4 structure




Figure 6: Peptide 5 structure





Figure 7: Peptide 6 structure



The **PeptideRanker** tool can order a set of peptides and-based on the function-structure model-assign a score for a given peptide in the range from 0 to 1. All the peptides showed non-toxic condition, while the peptide 2 (0.251) and peptide 5 (0.244) showed better bioavailability than

the control peptide of P114 (0.235). These results suggest that peptide 2 and peptide 5 can show better bioavailability compared to the P11-4 peptide. P11-4 peptide^[13] was used as the positive control. Based on the P11-4 peptide sequence, different peptides were self-assembled by addition of suitable amino acids into the sequence. The amino acids such as glutamine, aspartic acid and phosphorylated serine are reported to show the calcium binding effect when they are present in the specific site of the amino sequence. Based on these conditions, the amino acids were added to the sequence. These newly developed 6 peptides were investigated for the docking studies using <http://huanglab.phys.hust.edu.cn/hpepdock/> and before docking analysis the peptide structure was developed using Chemdraw Ultra Ver 12.0. The receptor of amelogenin was structured. Both the peptide structure and receptor of amelogenin in PDB format was used for the analysis in HPEPDOCK tool. The results showed that positive control of P11-4 showed the highest binding affinity score of -419.327 Kcal/mol when compared with other peptides. Peptide 2 (-294.701 Kcal/mol), 5 (-294.668 Kcal/mol), and 6 (-293.411 Kcal/mol) showed the least binding affinity score of. But a nearly equivalent binding affinity score compared to P11-4 peptide was obtained in the Peptide 1 (-327.112 Kcal/mol), Peptide 3 (-310.596 Kcal/mol) and Peptide 4 (-328.708 Kcal/mol) (Figure 8). Toxicity analysis showed Peptide 3 (0.251) and Peptide 4 (0.244) had the highest biocompatibility (Figure 9).

C Terminal		N Terminal	
Peptides	Binding affinity	Peptides	Binding affinity
Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH2 (P114)	-419.327	Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH2 (P114)	-419.327
Ace-Gln-Gln- Gln -Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH2	-327.112	Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu- Gln -Gln-Gln-NH2	-294.668
Ace-Gln-Gln- Aspartic acid -Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH2	-310.596	Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu- Aspartic acid - Gln-Gln-NH2	-328.708
Ace-Gln-Gln- Phosphorylated serine -Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH2	-294.701	Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu- Phosphorylated serine -Gln-Gln-NH2	-293.411

Binding affinity in Kcal/mol

Fig 8 : Binding affinity of newly designed peptides assessed using HPEPDOCK

C Terminal			N Terminal		
Peptides	Toxicity	Bioavailability	Peptides	Toxicity	Bioavailability
Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH2 (P114)	Non-toxic	0.235	Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH2 (P114)	Non-toxic	0.235
Ace-Gln-Gln- Gln -Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH2	Non-toxic	0.224	Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu- Gln -Gln-Gln-NH2	Non-toxic	0.19
Ace-Gln-Gln- Aspartic acid -Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH2	Non-toxic	0.251	Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu- Aspartic acid -Gln-Gln-NH2	Non-toxic	0.244
Ace-Gln-Gln- Phosphorylated serine -Arg-Phe-Glu-Trp-Glu-Phe-Glu-Gln-Gln-NH2	Non-toxic	0.232	Ace-Gln-Gln-Arg-Phe-Glu-Trp-Glu-Phe-Glu- Phosphorylated serine -Gln-Gln-NH2	Non-toxic	0.206

Fig 9 : ToxinPred and Peptide Ranker Analysis

DISCUSSION

The technology of self assembling peptide P11-4 adopts a biomimetic approach where it forms a matrix scaffold for de novo synthesis of hydroxyapatite crystals^{[1][14]}. Chemicals such as fluoride, CPP and Triethylamine used for remineralization has either the risk of fluorosis or mandatory dependance on residual hydroxyapatite crystals. Full sequence amelogenin for enamel remineralization has limitation of poor affinity of remineralized layer to enamel, increased time of contact, high cost of synthesis. Hence key functional amino acid that hence hydroxyapatite nucleation and crystal formation needs to be identified. Self assembling peptides are identified to have remineralization potential in vitro and in vivo. P11-4 peptide was used as the positive control. Based on the P11-4 peptide sequence different peptides are self assembled by addition of suitable amino acid into the sequence. The amino acid such as glutamine, aspartic acid and phosphorylated serine are reported to show the calcium binding effect when they are present in the specific site of the amino sequence. Based on these condition, the amino acids were added to the sequence. Glutamine is an alpha amino acid, Presence of Gln in the PX33 sequence is essential to ensure correct HA crystal growth. Alpha amino acid helps in biosynthesis of proteins and it promotes crystallization kinetics of metastable ACP to nano apatite through synergistic effect. Aspartic acid^[15] can promote the crystallization kinetics of metastable ACP to nano apatite through synergistic effect. The remineralized dentin obtained by this strategy can achieve mechanical and biological properties similar to that of natural teeth due to the internal and external mineralization of collagen fibers^{[16][17]}. Serine is an Alpha amino acid, helps in biosynthesis of proteins. It is a calcium binding motif Phosphorylation of Serine increases the ability to effectively bind calcium ions.

The results showed that positive control of P11-4 showed the highest binding affinity score of -419.327 Kcal/mol when compared other peptides. Peptide 2 (-294.701 Kcal/mol), 5 (-294.668 Kcal/mol), and 6 (-293.411 Kcal/mol) showed the least binding affinity score. But nearly equivalent binding affinity score compared to P11-4 peptide was obtained in the Peptide 1

(-327.112 Kcal/mol), 4 (-310.596 Kcal/mol) and 4 (-328.708 Kcal/mol). In the designed sequence, addition of aspartic acid has shown binding affinity better than the other newly designed peptides and also better biocompatibility.

This study is a computational analysis to identify the peptides that could support calcium binding. Development of peptide is expensive and time consuming. Such insilico analysis would support the identification of the peptide. The designed peptide should be synthesized and further subjected to analysis in laboratory to check its stability, binding properties, toxicity.

5. CONCLUSION

Newly designed peptides were stable and binding energy of them were comparable to P 11-4. The designed peptides were non toxic.. Equivalent binding affinity score compared to P11-4 peptide was obtained in the Peptide 1. Aspartic acid has binding affinity closer to P11-4 and biocompatibility more than P 11-4. Further Analysis needed to study the structure, mechanical properties of protein complexes and confirm the formation of hydroxyapatite bundles

REFERENCES

1. Indumathi, M., A. S. Smiline Girija, P. Sankar Ganesh, and J. Vijayashree Priyadharsini. 2021. "Detection of Immuno Dominant Peptides against pgaB of Acinetobacter Baumannii." *Journal of Pharmaceutical Research International*, November, 564–74.
2. Devika, K.R.Don, V.Vishnu Priya. Matrix Vesicle Mediated Mineralization - A Review. (2020). *Indian Journal of Forensic Medicine & Toxicology*, 14(4), 4522-4528.
3. B K, Aparna, Yashoda R, and Manjunath P. Puranik. 2022. "Remineralization of Early Enamel Caries Lesions Using Self-Assembling Peptides P-4: Systematic Review and Meta-Analysis." *Journal of Oral Biology and Craniofacial Research* 12 (3): 324–31.
4. Ramadoss, Ramya, Rajashree Padmanaban, and Balakumar Subramanian. 2022. "Role of Bioglass in Enamel Remineralization: Existing Strategies and Future Prospects-A Narrative Review." *Journal of Biomedical Materials Research. Part B, Applied Biomaterials* 110 (1): 45–66.
5. Ushanthika, T., Smiline Girija, A. S., Paramasivam, A., & Priyadharsini, J. V. (2019). An in silico approach towards identification of virulence factors in red complex pathogens targeted by reserpine. *Natural Product Research*, 35(11), 1893–1898.
6. Arifa, Mando K., Rena Ephraim, and Thiruman Rajamani. 2019. "Recent Advances in Dental Hard Tissue Remineralization: A Review of Literature." *International Journal of Clinical Pediatric Dentistry* 12 (2): 139–44.
7. Senthilkumar, Akshai, Ramya Ramadoss, Karthikeyan Ramalingam, and Abirami Arthanari. 2024. "In Vitro Analysis of Enamel Patterns Across Three Species Using Stereomicroscopy." *Cureus* 16 (5): e59488.
8. Valan, Annie Sylvea, Jogikalmat Krithikadatta, and Sashwat Sathish. 2023. "Influence of Sucrose and Arenga Pinnata Solutions on Enamel Surface Demineralization: A Profilometric Study." *Cureus* 15 (9): e44592.

9. Murugan, Ramadurai, Silambarasan Tamil Selvan, Mukesh Kumar Dharmalingam Jothinathan, Guru Prasad Srinivasan, Remya Rajan Renuka, and Monisha Prasad. 2024. "Molecular Docking and Absorption, Distribution, Metabolism, and Excretion (ADME) Analysis: Examining the Binding Modes and Affinities of Myricetin With Insulin Receptor, Glycogen Synthase Kinase, and Glucokinase." *Cureus* 16 (2): e53810.
10. "Website." n.d.-a. Janani Sathiamurthy, Ramya Ramadoss, Sandhya Sundar, Suganya Panneer Selvam, & Pratibha Ramani. (2023). Assessment Of Microbial Modulation Of Chemical Constituents In Enamel. *Journal of Population Therapeutics and Clinical Pharmacology*, 30(13), 414–419. <https://doi.org/10.47750/jptcp.2023.30.13.043>.
11. Selvaraj, Jayaraman, Veeraraghavan Vishnupriya, Hussain Sardar, Janardhana Papayya Balakrishna, Josephine Rex, Surapaneni Krishna Mohan, Periyasamy Vijayalakshmi, and Rajagopal Ponnulakshmi. 2020. "Molecular Docking Analysis of COX-2 for Potential Inhibitors." *Bioinformation* 16 (10): 753–58.
12. Sharma, Vipra, Gayathri Rengasamy, Surya Sekaran, Kavitha Sankaran, Vishnu Priya Veeraraghavan, and RajalakshmananEswaramoorthy. 2023. "Molecular Docking Analysis of the Tumor Protein Beta Arrestin-1 with Oxadiazole Compounds." *Bioinformation* 19 (1): 111–16.
13. Gulzar, Rukhsaar Akbar, P. Ajitha, and Haripriya Subbaiyan. 2020. "Self Assembling Peptide P11-4 for Enamel Remineralization: A Biomimetic Approach." *Journal of Pharmaceutical Research International*, August, 83–89.
14. Malcangi, Giuseppina, Assunta Patano, Roberta Morolla, Matteo De Santis, Fabio Piras, Vito Settanni, Antonio Mancini, et al. 2023. "Analysis of Dental Enamel Remineralization: A Systematic Review of Technique Comparisons." *Bioengineering (Basel, Switzerland)* 10 (4). <https://doi.org/10.3390/bioengineering10040472>.
15. Ajith Kamath, K., Iffat Nasim, and S. Rajesh. 2020. "Biogenic Synthesis of Gold Nanoparticles from Aspartic Acid - A Preliminary Study." *Journal of Pharmaceutical Research International*, August, 21–27.
16. Rajendran, Ratheesh, M. Sadique Hussain, Raghu Sandhya, Arun Jacob Thomas, M. Ameena, and Shinu Saleem. 2022. "Comparative Evaluation of Remineralisation Potential of Bioactive Glass, Casein Phosphopeptide-Amorphous Calcium Phosphate and Novel Strontium-Doped Nanohydroxyapatite Paste: An Study." *Indian Journal of Dental Research: Official Publication of Indian Society for Dental Research* 33 (1): 94–99.
17. Dawasaz, Ali Azhar, Rafi Ahmad Togoo, Zuliani Mahmood, Ahmad Azlina, and Kannan ThirumuluPonnuraj. 2022. "Effectiveness of Self-Assembling Peptide (P11-4) in Dental Hard Tissue Conditions: A Comprehensive Review" *Polymers* 14, no. 4: 792.