https://doi.org/10.33472/AFJBS.6.Si3.2024.671-678



African Journal of Biological

Sciences



Determination of Quetiapine fumarate in pharmaceutical formulations by sodium nitroprusside reagent

N.S Disha^{1*,} M.Sree vidhya^{2,} Dr. E. Karthikeyan^{3,} K. Divya jyothi^{4,} Lakshmi sowjanya. M^{5,}

^{1*}Designation: research scholar College Name & Full Address of College: Department of Pharmaceutical chemistry, mail id – disha.s1215@gmail.com, Contact No:9481800533

²Designation:research scholar. College name and full Adress: Department of Pharmacology, Saveetha Institute of Medical and Technical Sciences, Chennai, India. Email id: <u>sreevidhyaphd23@gmail.com</u> Contact Number: 9148452838 ³Designation: Professor.College name and full Adress: Department of Pharmaceutical Chemistry, Saveetha Institute of Medical and Technical Sciences, Chennai, India. Email ID: <u>karthikeyane.scop@saveetha.com</u> Contact Number: 7338470772 ⁴Designation: Assistant professor College name and full Adress: Department of Pharmaceutics,Geethanjali college of pharmacy, cheeryal,Hyderabad. Email ID: <u>jyothidivya81@gmail.com</u> Contact Number: 7995083022 ⁵Assistant Professor Dept of physics and Electronics St. Joseph's Degree and P.G college,king Koti,Hyderabad 500057 <u>Sowjanyalakshmi@josephscollege.ac.in</u> 9030682623

*Corresponding Author: N.S Disha

*Designation: research scholar College Name & Full Address of College:department of analysis, Saveetha institute of medical and technical sciences Chennai, tamilnadu Email Id: nsdisha@v email.com Contact No:9481800533

Article History Received: 08 April 2024 Accepted: 21 May 2024 doi:10.33472/AFJBS.6.Si3.2024.671-678

ABSTRACT

A simple and sensitive visible spectrophotometric method is described for the determination of Quetiapine fumarate in bulk and pharmaceutical preparations based on the formation of light green colored molecular complex with sodium nitroprusside in presence of hydroxyl amine under alkaline conditions and exhibiting λ max at 401 nm. The Regression analysis of Beer's Law plot showed good correlation in a general concentration range of 2-10µg/ml with correlation coefficient ($r^2 = 0.996$). The proposed method is validated with respect to accuracy, precision, linearity and limit of detection. The suggested procedure is successfully applied to the determination of the drug in pharmaceutical preparation, with high percentage of recovery, good accuracy and precision. The results of analysis have been validated statistically by repeatability and recovery studies. The results are found satisfactory and reproducible. The method for the estimation is applied successfully Quetiapine fumarate in tablet form without the interference of excipients.

Key words: Quetiapine fumarate, Sodium nitroprusside (SNP), Pharmaceutical formulations Visible Spectrophotometry.

Introduction

Quetiapine fumarate is chemically 2-[2-(4-dibenzo [b, f] [1, 4] thiazepin-11-yl-1- piperazinyl) ethoxy] ethanol hemifumarate (figure-1). It is used to treat psychosis associated with Parkinson's disease and chronic schizophrenia. The mode of action of Quetiapine fumarate, as with other drugs used to treat schizophrenia, is unknown. However, it is thought that the drug's therapeutic activity in schizophrenia is mediated through a combination of dopamine type2 (D2) and serotonin type 2 (5HT) receptor antagonisms [1-3].

that some methods Literature survey revealed have been reported for Quetiapine phase liquid chromatographic method [4], derivative fumarate reverse spectrophotometric methods [5] have been developed. Chromatographic methods like HPTLC [6], GC-FID developed and validated for five processes related non-chromophoric impurities [7]. A high performance liquid chromatography- tandem spectrometry method was developed and for the quantification of quetiapine in rat plasma [8], isocratic resolution validated assav method has been developed for the quantitative chromatographic determination of quetiapine hemifumarate in bulk ingredient [9]. Pharmacokinetic of the measurement psychotropic compound quetiapine and four related metabolites in human plasma was conducted using a sensitive and specific liquidabsorption (LC-MS/MS) [10]. chromatography tandem mass spectrometry Two different analytical for control quetiapine methods the quality in commercial formulations have developed and compared [11]. HPLC and UV method has been been developed for the simultaneous determination of the atypical antipsychotic quetiapine and the geometric isomers of the second-generation antidepressant fluvoxamine[12]. We now report a sensitive and flexible visible spectrophotometric method based on the complex formation reaction of drug with sodium nitroprusside and hydroxylamine hydrochloride. (Method B).

MATERIALS AND METHODS

A Shimadzu UV/Visible spectrophotometer model -1800 with10mm matched quartz cells was used for all spectral measurements. Quetiapine pure drug was supplied by Cipla Ltd, Bangalore, India as gift sample. All the chemicals used were of analytical grade sodium nitroprusside (SD Fine Chemicals, Mumbai, 0.4%, $1.34 \times 10^{-2} M$, solution prepared by 400mg of sodium nitroprusside in 100ml distilled water), dissolving Hydroxylamine hydrochloride (Loba, 0.4%, 5.75 x 10⁻²M solution prepared by dissolving 400mg of hydroxylamine hydrochloride in 100ml of distilled water), sodium carbonate (Loba, 10%, 9.43×10⁻¹M solution prepared by dissolving 10g of sodium carbonate in 100ml of distilled water)were prepared.

Chemicals:

Quetiapine pure drug was supplied by pharmaceutical industry, India as gift sample and graded Water was used.

Standard drug solution:

Standard drug solution of was prepared by dissolving 10mg of in 100ml of distilled water to obtain $100\mu g/ml$ of solution.

Sample solution:

About 20 tablets were pulverized and the powder equivalent to 10mg of quetiapine was taken in a 100ml volumetric flask and then diluted to 100ml with distilled water to get 100µg/ml.

Assay:

Aliquots of standard solution Quetiapine $(1.0\text{ml}-5.0\text{ml}, 100\mu\text{g/ml})$ were transferred into a series of 10ml calibrated volumetric flask and the volume in each flask was brought to 5.0ml with distilled water. To this 0.5 ml of $(1.324\times10^{-2}\text{M})$ sodium nitropruside and 1ml of $(5.75\times10^{-2}\text{M})$ hydroxylamine hydrochloride solutions were successively added to each flask and shaken for 2 minutes. Then 1.0ml of $(9.43\times10^{-1}\text{M})$ Na₂CO₃ solution was added and further shaken for 15 minutes. The contents were diluted to the mark with distilled water and the absorbance were measured at 401nm against a reagent blank and the absorbance spectra is shown in the figure 4 within the stability period (immediate-120 min). The amount of quetiapine in the sample solution was computed from its calibration graph shown in figure 3.

Method Validation

The method was validated with reference to linearity; Standard solution of quetiapine fumerate was accuracy, precision, and Limit of detection& Limit of quantification. [13]

Linearity

Linearity was performed by taking from stock solution flask and volume made up to the mark with water to (100 mcg/ml) aliquots of 0.2, 0.4, 0.6, 0.8 and 1 ml obtain the concentrations 2 to $10\mu\text{g/ml}$. were taken in 10ml volumetric flasks and diluted up to 10ml with water. To 1ml of drug solution to this add 0.5ml of SNP and 1ml of hydroxylamine hydrochloride and shake for 2min and add 0.5ml of sodium carbonate and shake for 15 min and the results are shown in table -1 an the calibration graph shown in figure-2.

Precision

Precision of the methods was studied as intra-day, interday and repeatability. Intra-day study was performed by analyzing, a homogenous sample separately 6 times for interday and intraday using the same instrument employing the same analyst evaluated the same data for standard deviation relative standard deviation and coefficient of variance and the results are summarized in Table -2.

The limits of detection (LOD) and quantitation (LOQ)

LOD limits of detection is defined as lowest concentration of an analyte that analytical processes can be reliably differentiated from back ground levels. LOQ is defined as lowest concentration of a standard curve that can be measured with an accuracy precision

The limits of detection (LOD) and quantitation (LOQ) calculated according to ICH guidelines using the formulae: LOD = 3.3 S/b and LOQ = 10 S/b, where S

is the standard deviation of sample and m is the slope of the calibration plot result shown in table -1.

Accuracy

The accuracy of the proposed methods was assessed by recovery studies at three different levels i.e. 80%, 100%, 120%. The recovery studies were carried out by adding known amount of standard solution of three deferent levels. The resulting solutions were then reanalyzed by proposed methods; the results are shown in table 3.

Chemistry of colored species:

In the present investigation Quetiapine fumarate functions as a donor due to the presence of cyclic tertiary nitrogen. Sodium nitroprusside in the presence of hydroxylamine and alkali exists as aquoferrocyanide [Fe (CN) $_5$ H₂O] $^{3-}$. In a general way it may be expected that the electron transfer depends upon the extent of delocalization of the donor and acceptor metal orbitals of the intervening ligands. From this stand point, ligands such as water and ammonia, which contain single bonds, are expected to be much less effective in conducting electrons between metal ions than unsaturated ligands such as CN- whose complexes are characterized by high degree of covalency and electron delocalization. Based on the analogy, the probable sequence of reactions is presented in scheme Figure2.

RESULTS AND DISCUSSION

this method, a systematic study of the effects of various parameters In developing were undertaken by varying one parameter at a time and controlling all others fixed. The effect of various parameters such as time, volume and strength of sodium nitro prusside, hydoxylamine, sodium carbonate, stability of colored species and solvent for final dilution of the colored species were studied and the optimum conditions were established. The optical characteristics such as Beer's law limit, Sandell's sensitivity molar absorptivity, percent relative standard deviation, were calculated and the results are summarized in (table-1). Regression characteristics like standard deviation of slope (b), standard deviation of intercept (a), shown in additional demonstration of precision were performed the SD and RSD% of table-1. As an interday and intraday results are summarized in Table-2 accuracy, recovery, experiments were performed by adding a fixed amount of the drug to the pre analyzed formulations at three different concentration levels. These results are summarized in Table-3. The ingredients usually present in formulations of Quetiapine fumaratedid not interfere with the proposed analytical method.

CONCLUSION

The reagents utilized in the proposed method are cheap and readily available and the procedure does not involve any critical reaction conditions or tedious sample preparation. The proposed analytical method is validated as per ICH guide lines and possess reasonable precision, accuracy, simple, sensitive and can be used as alternative method to the reported ones for the routine determination of Quetiapine fumarate depending on the need and situation.

REFFERENCE:

- [1] Seroquel package insert (Zeneca—US), Rev 7/97, Rec. 10/97.
- [2] Product Information: Seroquel[®], quetiapine fumarate, Zeneca In: Welbanks L(ed): Compendium of Pharmaceuticals and Specialties, Canadian Pharmaceutical 35, (2000), 1451-1453.
- [3] Clark's analysis of drugs and poisons, London, Pharmaceutical press. electronic version(2006)221.
- [4] Radha Krishna S, Rao B.M, Someswara Rao N, a simple and accurate reverse phase liquid chromatographic method was developed for the of related substance and degradants of Quetiapine Fumarate bulk drug. Rasayan J. Chem 1(3) (2008) 466-474.
- [5] Nikam D.S, Bagade S.B, a simple, fast and reliable derivative Spectrophotometric methods were developed for determination of Quetiapine fumarate in pharmaceutical formulation. Second order derivative ultraviolet Spectrophotometric methods were developed. International Journal of ChemTech Research, 1(4) (2009) 898–904.
- [6] Dhaneshwar S.R, Patre N.G, a sensitive, selective, precise, and stability-indicating HPTLC method for quantitative analysis of quetiapine fumarate both as the bulk drug and in formulations has been established and validated. Bio medical chromatography, 22(2008)1043-1055.
- [7] Sanjay A. Jadhav, Shashikant B. Landge, a rapid and sensitive gas chromatographic method using flame ionization detection (GC-FID) has been developed and validated for five processes related non-chromophoric impurities. Chromatographia, 71(2006) 11-12.

- [8] Ramakrishna Nirogi, Gopinadh Bhyrapuneni, a sensitive high-performance liquid chromatography-tandem mass spectrometry method was developed and validated for the quantification of quetiapine in rat plasma. Bio medical chromatography, 22, (2008) 1043-1055.
- [9] Soma Raju V, a simple, sensitive isocratic rapid resolution liquid chromatographic assay method been developed for the quantitative determination of quetiapine hemifumarate in bulk active pharmaceutical ingredient. Chromatographia, 70 (2007) 3-4.
- [10] Patricia C. Davis Orlando Bravo, Mark Gehrke, been developed for the pharmacokinetic measurement of the psychotropic compound quetiapine and four related metabolite in was human plasma conducted using а sensitive and specific liquid-chromatography tandem mass – spectrometry (LC-MS/MS). pharmaceutical and biomedical analysis, 51 (2010)1113-1119
- [11] Vincenzo P, Two different analytical methods for the quality control of quetiapine in commercial formulations have been developed and compared. Journal of pharmaceutical and biomedical analysis, 32 (2003) 1037-1044.
- [12] Lawrence J. Albers, Roberto Merli, an original HPLC and UV method has been developed for the simultaneous determination of the atypical antipsychotic quetiapine and the geometric isomers of the second-generation antidepressant fluvo -xamine. Journal of chromatography .B, 4(2006) 227-233.
- [13] Code Q2A, text on Validation of analytical methods ICH harmonized tripartite guidelines(1995)




FIGURE-1 chemical structure Quetiapine fumarate




Figure-3 analytical curve determination of Quetiapine fumarate with SNP, HA




FIGURE 4-Showing Absorption Spectra of Absorption spectrum of the reaction product. Quetiapine fumarate concentration = 10μ g/ml; optical path = 1 cm. Measurements taken at 25 °C against the reagent blank after stoppered to room temperature for 30 min, as described in the recommended procedure.

PARAMETERS	VALUES		
Wavelength (nm)	401nm		
Beer's law limit(µg/ml)	2-10µg/ml		
Sandell's sensitivity (µg/cm/0.001	0.0251		
abs. unit)			
Molar absorptivity (Liter/mole/cm)	1669.25		
Regression equation (Y)			
Intercept (m)	0.3422		
Slope(c)	0.0055		
Correlation Coefficient (R ²)	0.989		
%RSD	0.77		
SD	0.0046		
LOD(µg/ml)	2.617		
LOQ(µg/ml)	7.931		

Table 1: Optical Characteristics of proposed analytical Method

INTRA D	DAY	INTERDAY	
SD (µg/ml)	RSD%	SD (µg/ml)	RSD%
0.004604	0.77	0.00331	0.474

Concentration %	Amount taken µg/ml	Amount added(µg/ml)	Amount recovered %	SD	%RSD
80	20	12	99.8	0.005	0.91
100	20	20	99.6	0.003	0.506
120	20	28	99.9	0.0058	0.91

Table -3 Accuracy