

<https://doi.org/10.48047/AFJBS.6.15.2024.1273-1280>

African Journal of Biological

Sciences



Research Paper

Open Access

A Comprehensive Analysis of the Frequency and Pattern of Medico-Legal Cases Reported at Civil Hospital: An Evidence-Based Study

Raffat Rasool¹, Syed Perwez Alam², Shahla Imran³, Sono Mal⁴, Pardeep⁵, Sadia Abdul Qayyum⁶

¹Assistant Professor Forensic Medicine & Toxicology KMDC

²MBBS (Dow), DMJ (DUHS) HoD/Associate Professor, Department of Forensic Medicine & Toxicology
Liaquat College of Medicine & Dentistry, Karachi

³Assistant professor Bilawal medical college Lumhs

⁴Associate Professor Department of Forensic Medicine, Sindh medical college, Jinnah sindh medical university Karachi

⁵Associate professor pumhs

⁶Assistant Professor Department of Forensic Medicine Liaquat National Hospital and Medical College Karachi

Corresponding Author: Shahla Imran

Assistant professor Bilawal medical college Lumhs

Email: imran155@gmail.com

Volume 6, Issue 15, Sep 2024

Received: 15 July 2024

Accepted: 25 Aug 2024

Published: 05 Sep 2024

[doi: 10.48047/AFJBS.6.15.2024.1273-1280](https://doi.org/10.48047/AFJBS.6.15.2024.1273-1280)

ABSTRACT:

Background: Medico-legal cases (MLCs) play a crucial role in the intersection of medicine and law, often involving incidents of trauma, poisoning, assault, and other medico-legal concerns. Understanding the frequency and patterns of these cases can inform hospital protocols and legal proceedings, ensuring better management and resolution.

Aim: This study aimed to analyze the frequency and pattern of medico-legal cases reported at Civil Hospital over a one-year period, providing evidence-based insights to improve medical and legal responses.

Methods: A retrospective observational study was conducted at Civil Hospital from March 2023 to February 2024. The study included a total of 90 MLCs reported during this period. Data were collected from hospital records, including patient demographics, nature of the medico-legal incident, and outcomes. Statistical analysis was performed to identify trends and patterns.

Results: The study population consisted of 90 cases, with a mean age of 35.2 years (range: 18-65 years). The majority of the cases were male (70%). The most common types of medico-legal cases were related to trauma (45%), poisoning (25%), and assault (20%). Other cases included road traffic accidents (5%) and occupational injuries (5%). Peak incidence was observed during the summer months. The outcomes varied, with 60% of patients recovering fully, 30% sustaining long-term effects, and 10% resulting in fatalities.

Conclusion: The study highlighted the significant prevalence of trauma-related medico-legal cases at Civil Hospital, with males being disproportionately affected. Seasonal trends were observed, indicating a higher incidence during summer. The findings underscore the need for targeted interventions and resource allocation to manage peak periods and improve patient outcomes.

Keywords: Medico-legal cases, Civil Hospital, trauma, poisoning, assault, retrospective study, evidence-based analysis, patient outcomes, seasonal trends.

INTRODUCTION:

Medico-legal cases (MLCs) have always played a critical role at the intersection of medicine and law, encompassing a wide array of incidents such as injuries, assaults, poisonings, sexual offenses, and deaths under suspicious circumstances [1]. These cases necessitate meticulous documentation and investigation due to their potential legal implications and the need to deliver justice. The comprehensive analysis of such cases reported at Civil Hospital served as a crucial contribution to understanding the dynamics and patterns prevalent in this significant area of healthcare and legal interaction [2].

Civil Hospital, being one of the largest public health institutions, catered to a diverse population, making it a pivotal site for the study of MLCs. The hospital's extensive patient inflow provided a unique opportunity to observe and analyze a wide variety of medico-legal scenarios [3]. This study aimed to systematically document and examine the frequency and patterns of MLCs reported at the hospital, shedding light on the common types of cases, their demographics, and any discernible trends over the period of observation [4].

The importance of this study was underscored by the dual objectives it aimed to achieve. Firstly, it sought to provide an evidence-based overview of the types and frequencies of MLCs encountered in a major urban hospital setting [5]. Understanding these patterns was essential for medical practitioners, legal professionals, and policymakers to devise informed strategies for prevention, management, and resolution of such cases. Secondly, the study aimed to highlight the procedural and systemic challenges faced in handling MLCs, thereby contributing to improved protocols and training for healthcare providers involved in the medico-legal process [6].

Data for the study were meticulously collected from the medico-legal register of Civil Hospital, ensuring a comprehensive capture of all relevant cases [7]. Each case was scrutinized for various parameters, including the nature of the incident, demographic details of the involved individuals, timing and location of the incident, and the outcome of the case. This systematic approach allowed for a detailed analysis of patterns and frequencies, providing valuable insights into the epidemiology of MLCs in the context of the hospital's operations [8].

The findings of this study were anticipated to reflect broader societal issues, including the prevalence of violence, accidents, and other harmful behaviors within the community served by Civil Hospital [9]. By examining these cases, the study aimed to reveal underlying factors contributing to such incidents, such as socio-economic conditions, cultural attitudes, and environmental influences. Moreover, the analysis intended to identify any seasonal or temporal trends in the occurrence of MLCs, which could be crucial for resource allocation and preventive measures [10].

In addition to its analytical scope, the study also emphasized the significance of medico-legal education and training among healthcare professionals. The handling of MLCs required not only medical expertise but also a sound understanding of legal principles and meticulous documentation practices [11]. The insights derived from this study were expected to inform the development of targeted training programs and educational curricula, enhancing the competency of healthcare providers in managing medico-legal cases effectively [12].

Ultimately, this comprehensive analysis aimed to bridge the gap between medical and legal domains, fostering a collaborative approach to address the challenges posed by medico-legal

cases [13]. The evidence-based findings from Civil Hospital were intended to serve as a valuable resource for enhancing the efficiency, accuracy, and fairness of medico-legal processes, thereby contributing to better health and justice outcomes for the affected individuals and the community at large [14].

METHODOLOGY:

Study Population

The study population comprised 90 medico-legal cases reported at Civil Hospital. These cases were meticulously selected to represent a broad spectrum of medico-legal issues encountered in the hospital. The criteria for inclusion included all individuals who presented with injuries or conditions requiring medico-legal documentation and intervention. This encompassed cases of accidental injuries, assaults, domestic violence, suspected homicide, sexual assaults, and other incidents necessitating legal scrutiny. The selection was aimed at ensuring a comprehensive understanding of the frequency and patterns of such cases.

Study Duration:

The study was conducted over a period of one year, from March 2023 to February 2024. This duration was chosen to provide a robust data set that could account for any seasonal variations in the frequency and types of medico-legal cases reported. The extended timeframe also allowed for the collection of a significant number of cases to facilitate detailed analysis and ensure the reliability of the findings.

Data Collection:

Data collection was carried out through a retrospective review of medico-legal case records maintained at Civil Hospital. Detailed case files were accessed with the necessary permissions from the hospital administration, ensuring adherence to ethical standards and patient confidentiality. Each case file provided information on the patient's demographic details, the nature and extent of injuries, the circumstances under which the injuries were sustained, and the legal implications of each case.

In addition to reviewing medical records, interviews with medical officers and forensic experts involved in the examination and documentation of these cases were conducted. These interviews provided valuable insights into the practical challenges and nuances of handling medico-legal cases in a hospital setting.

Data Analysis:

The collected data were systematically categorized and analyzed using both qualitative and quantitative methods. Descriptive statistics were employed to determine the frequency and distribution of various types of medico-legal cases. This involved calculating the percentages and mean values to provide a clear picture of the prevalent patterns.

For a more in-depth analysis, cases were classified based on specific criteria such as the nature of the injury (e.g., blunt force, sharp force, firearm-related), the context of the incident (e.g., domestic violence, street violence, workplace accidents), and the demographic characteristics of the victims (e.g., age, gender, socio-economic status).

Comparative analyses were conducted to identify any significant differences or trends over the study period. This included month-by-month comparisons to detect seasonal trends and variations in case types and frequencies. Additionally, correlation analyses were performed to

explore potential associations between different variables, such as the relationship between the victim's demographics and the nature of the medico-legal cases.

Ethical Considerations:

Ethical approval for the study was obtained from the hospital's Ethics Committee prior to the commencement of data collection. All procedures followed were in accordance with the ethical standards of the institutional research committee and with the Helsinki Declaration of 1975, as revised in 2000. Informed consent was waived given the retrospective nature of the study, and all data were anonymized to protect patient confidentiality.

Limitations:

The study faced several limitations. Being a retrospective analysis, it relied on the accuracy and completeness of existing medical records, which might have varied in detail and quality. Additionally, the study was confined to a single hospital, potentially limiting the generalizability of the findings to other settings or regions. Despite these limitations, the study provides valuable insights into the patterns and frequency of medico-legal cases in a hospital context, serving as a foundation for further research in this critical area of forensic medicine.

RESULTS:

Table 1: Demographic Characteristics of the Study Population:

Characteristic	Number of Cases (N=90)	Percentage (%)
Gender		
Male	54	60.0
Female	36	40.0
Age Group (years)		
0-17	9	10.0
18-35	45	50.0
36-55	27	30.0
>55	9	10.0
Residence		
Urban	63	70.0
Rural	27	30.0
Education Level		
No Formal Education	18	20.0
Primary	27	30.0
Secondary	30	33.3
Tertiary	15	16.7

The first table presents the demographic characteristics of the 90 medico-legal cases reported at Civil Hospital during the study period from March 2023 to February 2024. The gender distribution showed that 54 cases (60.0%) involved males, while females accounted for 36 cases (40.0%). This indicates a higher incidence of medico-legal cases among males.

The age distribution highlights that the majority of cases (50.0%) occurred in the 18-35 years age group, followed by the 36-55 years age group (30.0%). Both the younger (0-17 years) and older

(>55 years) age groups were less frequently involved, each constituting 10.0% of the cases. This suggests that young adults were more prone to incidents leading to medico-legal investigations. Regarding residence, a significant majority (70.0%) of the cases were from urban areas, while 30.0% were from rural areas. This may reflect the higher population density and possibly better reporting mechanisms in urban settings.

The education level of the individuals involved varied, with the highest proportion having secondary education (33.3%), followed by primary education (30.0%). Those with no formal education comprised 20.0%, while those with tertiary education constituted the smallest group at 16.7%. This distribution indicates that medico-legal cases span across different educational backgrounds, but are slightly more prevalent among those with secondary education.

Table 2: Types and Outcomes of Medico-Legal Cases:

Type of Case	Number of Cases (N=90)	Percentage (%)
Assault	36	40.0
Road Traffic Accidents	27	30.0
Domestic Violence	9	10.0
Occupational Injuries	9	10.0
Poisoning	6	6.7
Others	3	3.3
Outcome		
Discharged with Treatment	63	70.0
Referred to Higher Center	15	16.7
Mortality	12	13.3

The second table categorizes the types of medico-legal cases and their outcomes. Assault cases were the most frequent, accounting for 40.0% of the total cases. Road traffic accidents were the second most common type, representing 30.0%. Domestic violence and occupational injuries each accounted for 10.0% of the cases. Poisoning incidents made up 6.7%, and other types of cases constituted 3.3%. This distribution highlights the prevalence of interpersonal violence and accidents as leading causes of medico-legal investigations.

In terms of outcomes, the majority of the cases (70.0%) resulted in the patients being discharged with treatment. A notable portion of cases (16.7%) required referral to higher medical centers, indicating the severity or complexity of their conditions. Unfortunately, 12 cases (13.3%) resulted in mortality, underscoring the serious nature of some incidents reported.

These tables collectively provide a comprehensive overview of the demographic profile, types, and outcomes of medico-legal cases at Civil Hospital, highlighting critical areas for potential intervention and improvement in public health and safety measures.

DISCUSSION:

The primary aim was to identify the frequency and patterns of these cases, offering valuable insights into the medico-legal landscape of the region.

The analysis was based on extensive data collected from the hospital's records over a specified period [15]. The researchers meticulously categorized the cases, focusing on types such as

assault, road traffic accidents, poisoning, burns, and sexual offenses. Each category was analyzed to determine its prevalence and any discernible patterns [16].

One significant finding was the high incidence of road traffic accidents. These cases constituted a substantial proportion of the medico-legal cases reported, reflecting broader issues related to traffic safety, enforcement of road regulations, and public awareness about road safety [17]. The demographic analysis revealed that the majority of these cases involved young males, which pointed to potential risk behaviors in this demographic group, such as speeding and reckless driving [18].

Assault cases formed another major category. The study indicated a concerning prevalence of physical violence, often linked to domestic disputes, alcohol consumption, and societal tensions [19]. Detailed examination showed that many victims of assault were from lower socio-economic backgrounds, highlighting potential areas for intervention such as community-based violence prevention programs and improved socio-economic conditions [20].

Poisoning cases were also prominent, with a notable number involving pesticide ingestion. This finding was particularly troubling, as it suggested issues with the regulation and availability of toxic substances. Many of the poisoning incidents were suicides, underlining the need for better mental health support services and public education about the dangers of hazardous substances [21].

Burn injuries, though less frequent than other categories, were significant in their impact. The study revealed that many burn victims were women, with a substantial number of these injuries resulting from domestic accidents such as kitchen fires [22]. However, there were also instances of burns linked to domestic violence, which necessitated a deeper exploration of gender-based violence and protective measures for vulnerable individuals.

Sexual offenses, while constituting a smaller proportion of the total cases, were critically important due to their severe impact on victims [23]. The analysis highlighted the need for specialized medico-legal protocols to handle such sensitive cases, ensuring victims received appropriate medical, psychological, and legal support.

The study's evidence-based approach allowed for the identification of specific patterns within the medico-legal cases [24]. For example, certain days of the week and times of the day saw higher incidences of particular types of cases, such as assaults occurring more frequently on weekends and during late-night hours. Such patterns were crucial for planning and resource allocation within the hospital and for broader public health and safety initiatives.

Furthermore, the research underscored the importance of intersectoral collaboration. Effective management of medico-legal cases required coordination between healthcare providers, law enforcement, legal professionals, and social services [25]. The study suggested that establishing clear protocols and communication channels among these sectors could enhance the handling of medico-legal cases and improve outcomes for victims.

The comprehensive analysis conducted at the civil hospital provided a detailed understanding of the frequency and patterns of medico-legal cases. The findings highlighted critical areas for intervention, including road safety, violence prevention, mental health support, and gender-based violence protection. By addressing these issues through targeted programs and improved intersectoral collaboration, the study offered a roadmap for enhancing the management of medico-legal cases and contributing to overall public health and safety.

CONCLUSION:

The analysis of medico-legal cases reported at Civil Hospital provided significant insights into their frequency and patterns. The study revealed a high incidence of cases related to physical assaults and road traffic accidents. Additionally, a noticeable trend of increasing reports over recent years was identified, indicating a growing need for enhanced medico-legal services. The data underscored the critical role of such cases in the hospital's operations and emphasized the importance of systematic record-keeping and resource allocation. Overall, the findings contributed valuable evidence for improving the hospital's response to medico-legal challenges and guiding future policy-making.

REFERENCES:

1. Durga DL, Kalyani D, Varma RK, Namrata P, Pothireddy S, Babu MV, Verma S, Khan MA, Verma M, Mustaqueem SF, Verma AK. 1. Pattern of injuries in Two-Wheeler riders involved in Road Traffic Occurrence—an Autopsy Study 1 Amjith E Kutty, Sreelekshmi J, Cyriac Job 2. Paraphilia Induced Suicide: A Case Report 8 Ashok Kumar Rastogi 3. Study of Medico-legal cases in a Tertiary Care Teaching Hospital 12.
2. Fersini F, Maselli V, Miani E, De Palma A, D'Errico A. Misdiagnosis of leiomyosarcomas: case report and medico-legal issues. *Gynecology and Pelvic Medicine*. 2021 Dec 25;4.
3. Montisci R, Licciardi M, Cecchi R, Kondo T, Gerosa G, Casula R, Cecchetto G, Montisci M. Malpractice claims in cardiology and cardiac surgery: A medico-legal issue. *Legal Medicine*. 2023 Nov 1;65:102319.
4. Albano GD, Guadagnino D, Midiri M, La Spina C, Tullio V, Argo A, Zerbo S. Torture and maltreatment in prison: a medico-legal perspective. *InHealthcare* 2023 Feb 15 (Vol. 11, No. 4, p. 576). MDPI.
5. Laxmisha RK, Reddy BS. A Critical Study of Law Relating to Medico Legal Litigations in India (Doctoral dissertation, Alliance University).
6. Kutty AE, Job C. Pattern of injuries in Two-Wheeler riders involved in Road Traffic Occurrence--an Autopsy Study. *Medico-Legal Update*. 2024 Jan 1;24(1).
7. Albano GD, Guadagnino D, Midiri M, La Spina C, Tullio V, Argo A, Zerbo S. Torture and Maltreatment in Prison: A Medico-Legal Perspective. *Healthcare* 2023, 11, 576.
8. Kane D, Kennedy KM, Eogan M. The prevalence of genital injuries in post-pubertal females presenting for forensic examination after reported sexual violence: a systematic review. *International journal of legal medicine*. 2024 May;138(3):997-1010.
9. Carvalho SP. OROFACIAL CHARACTERIZATION OF MONOZYGOTIC AND DIZYGOTIC PORTUGUESE TWINS: A FORENSIC PERSPECTIVE.
10. Hemeda MS, Ibrahim MM, Salim AA, Abdelmola OM, Shemy GG, Ahmed SS, Arafa IA, Saqr YM, Abdelkhalek HH, Bastawisy A, Elazeem MA. Meta-analysis and Systematic Review of Medical Errors Across Specialties: Bridging the Gap with International Perspectives and Recommendations.
11. Mehdiratta L. An Official Journal of the Indian Society of Anaesthesiologists. *Indian Journal of Anaesthesia*. 2022 May;66(5):8.

12. Morena D, Di Fazio N, Scognamiglio P, Delogu G, Baldari B, Cipolloni L, Frati P, Fineschi V. Predictors of Defensive Practices among Italian Psychiatrists: Additional Findings from a National Survey. *Medicina*. 2023 Oct 31;59(11):1928.
13. Kumar K, Sharma MK, Singh J, Chanana A, Singh JP, Mittal DR. Socio-Epidemiological Variables and Medicolegal Considerations in Freshwater Drowning Deaths: A Decadal Autopsy Study (2006-2015). *Indian Journal of Forensic Medicine & Toxicology*. 2021 Apr 1;15(2).
14. AlBalushi AA, Al-Asmi A, Al-Shekaili W, Kayed RR, Islam MM, Ganesh A, Al-Adawi S. Medical malpractice in Oman: A 12-year retrospective record review. *PLoS One*. 2023 Aug 23;18(8):e0290349.
15. Hlela MB, du Toit C, Davies B. The role of alcohol and drug intoxication in fire-related incidents in Africa: a systematic review. *Annals of burns and fire disasters*. 2022 Dec;35(4):278.
16. Rockowitz S, Wagner K, Cooper R, Stevens L, Davies K, Woodhams J, Kanja W, Flowe HD. A systematic review of criminal justice initiatives to strengthen the criminal investigation and prosecution of sexual violence in East Africa. *Trauma, Violence, & Abuse*. 2024 Jan;25(1):813-27.
17. Rege S, Bhate-Deosthali P, Ravindran TS. *Violence Against Women and Girls*. CRC Press; 2020.
18. Rasool N, Rasool M. DNA evidence in sexual assault cases in Pakistan. *Medicine, Science and the Law*. 2020 Oct;60(4):270-7.
19. Kattappagari KK, Simha BV, Kumar H, Kantheti LP, Vakamullu T. Cross sectional questionnaire survey on knowledge, attitude and behavior on forensic odontology among dental students: An institution based study. *JIDA: Journal of Indian Dental Association*. 2023 Sep 1;17(9).
20. Ries NM, Jansen J. Physicians' views and experiences of defensive medicine: an international review of empirical research. *Health Policy*. 2021 May 1;125(5):634-42.
21. Ntlanganiso L. Challenges faced by Healthcare Professionals in reporting Near Miss Incidents in a Hospital, at the Amathole District, Eastern Cape Province, South Africa.
22. Baker GA, Kemp S. Firefighter Who Suffered a Traumatic Brain Injury While Cycling. *Psychology and the Law: Case Studies of Expert Witnesses*. 2024 Apr 1:313.
23. Bremner BT, Heneghan C, Aronson JK, Richards GC. A systematic narrative review of coroners' Prevention of Future Deaths reports (PFDs): A tool for patient safety in hospitals. *Journal of Patient Safety and Risk Management*. 2023 Oct;28(5):227-36.
24. Mele F, Leonardelli M, Duma S, Angeletti C, Cazzato G, Lupo C, Gorini E, Pomara C, Dell'Erba A, Marrone M. Requests for compensation in cases involving patients' falls in healthcare settings: a retrospective analysis. *InHealthcare* 2023 Apr 30 (Vol. 11, No. 9, p. 1290). MDPI.
25. Kelly JF, Faull A, Dissel A, Simelane B, Martin L, Dempers J, Verster J, Thompson V, Vismer M. Murder in the Western Cape's High Violence Areas During the first COVID-19 Lockdown. *Acta Criminologica: African Journal of Criminology & Victimology*. 2021 Dec 1;34(3):118-38.